# VWP-US Wall panel controller, V series, US V series



- Clear Color Display: Easy-to-read 1.77" color display with rotary encoder
- Versatile Control: Level, zone, source, media playback, and more
- Daisy-Chainable: Connect up to 16 VWP controllers
- Interchangeable Panel: White/black front panel options
- Multilingual Support: Unicode for 150+ languages

## **Parts included**

Quantity	Component
1	VWP
1	Interchangeable front panel & encoder knob (Black)
1	CAN-Termination Plug
1	Quick installation guide
1	Safety and Security Information booklet

### **Technical specifications**

#### Electrical

System specification		
Control type	24 Detents 360° Continuous Push Button Encoder	
User controls	Level, Mute, Zone, Source, Media Player	
Language support	Unicode, 150+ languages supported	
Power consumption	(W) ≤ 1.30 W	

Display	
Screen	1.77 in Color TFT
Resolution	160 x 128 pixels
Brightness	480 cd/m2



NAR

The VWP Wall Panel Controller offers intuitive operation and control for audio systems, enhancing user interaction within commercial environments. Featuring a 1.77-inch color display and a rotary encoder, the VWP allows for seamless management of levels, zones, sources, and media playback. Its daisy-chain capability supports the connection of up to 16 controllers. The interchangeable front panel, available in white or black, ensures aesthetic flexibility to match any decor. Add a 1-gang Decora wall plate available from your local hardware/supply store. With Unicode support for over 150 languages, the VWP provides a user-friendly interface that caters to diverse audiences. Additionally, the VWP can be set with a 4-digit PIN lock and multiple user profiles for different levels of access. Designed for versatility and ease of use, the VWP Wall Panel Controller is an essential component for effective audio system management.

## **Regulatory information**

Regulatory areas		
Safety	UL 62368-1 CSA C22.2 No. 62368-1	
EMC	EN55032:2015+A11:2020 EN55035:2017+A11:2020	
FCC/ICES	Part 15 (Class B) (US) ICES-003 (Canada)	


Connections	
Connectors	2x RJ45 In, Out (for Daisy Chain)
Connection & Power Source	Accessory Bus of VZX-8 Zone Audio Processor
CAN termination plugs	1 per accessory line (A, B), place in unused port on last accessory connected to VZX-8 processor
Туре	RJ45 termination with a 120 $\Omega$ resistor


### Mechanical


Daisy chain capable	Yes
Maximum devices supported	16 maximum VWP per VZX-8
Mounting type	Wall-mounted
Color	White, changeable to black
Required electrical box size	62 mm wide, ≥60 mm deep (2.44 in wide, ≥2.36 mm deep
Dimensions (HxWxD)	114 mm x 44 mm x 38.7 mm (4.50 in x 1.65 in x 1.52 in)
Weight	98 g (0.22 lb)
Shipping weight	212 g (0.47 lb)

### Environmental

	Climatic conditions	
	Operating temperature	+5 °C to +40 °C (+40 °F to +105 °F)
	Operating relative humidity, non- condensing (%)	15% - 93%










Fig. 1: Dimensions

### **Ordering information**

### VWP-US Wall panel controller, V series, US

V-Series Wall panel controller with color display and encoder, ships with white and black front covers. 1-gang decora plates not included.

Order number VWP-US | F.01U.426.625



https://www.dynacord.com